

	"SS" (Standard Optional Code) Speed Controller with One-touch Fitting	No. SPC-OPSS-B-EN	
		2018/09/07	S.O

Specifications

Type	SS (Standard Optional Code)																																																																																												
Name	Speed Controller with One-touch Fitting <ul style="list-style-type: none"> • For open/close double-side control. • For double acting type control. 																																																																																												
Applicable Model	PND, TAD series <ul style="list-style-type: none"> • Rc 1/8 (PND, TAD-040) • Rc 1/4 (TAD-050 to 160) 																																																																																												
Content	Attach a speed controller to the port A/B of the double-acting type pneumatic actuator. <p>Cautions</p> <ul style="list-style-type: none"> • SS option is not be used when installing solenoid valve. • In addition to the SS option, there are the following options. It can be selected according to application. <p>SE option: One side control of the double-acting type actuator. One side control of the single-acting type actuator. Double-side control of the single-acting type actuator with solenoid valve.</p> <p>SF option: Double side control of the single-acting type actuator.</p> <p>Product list</p> <table border="1"> <thead> <tr> <th>Port size</th> <th>Design</th> <th>Control</th> <th>Size [mm]</th> <th>Sub code</th> <th>SMC type</th> </tr> </thead> <tbody> <tr> <td rowspan="9">R1/8</td> <td rowspan="6">Elbow</td> <td rowspan="3">Meter-out</td> <td>6φ</td> <td>SS26 □ O</td> <td>AS2201F-01-06SA</td> </tr> <tr> <td>8φ</td> <td>SS28 □ O</td> <td>AS2201F-01-08SA</td> </tr> <tr> <td>10φ</td> <td>SS20 □ O</td> <td>AS2201F-01-10SA</td> </tr> <tr> <td rowspan="3">Meter-in</td> <td>6φ</td> <td>SS26 □ I</td> <td>AS2211F-01-06SA</td> </tr> <tr> <td>8φ</td> <td>SS28 □ I</td> <td>AS2211F-01-08SA</td> </tr> <tr> <td>10φ</td> <td>SS20 □ I</td> <td>AS2211F-01-10SA</td> </tr> <tr> <td rowspan="3">Universal</td> <td rowspan="2">Meter-out</td> <td>6φ</td> <td>SS36 □ O</td> <td>AS2301F-01-06SA</td> </tr> <tr> <td>8φ</td> <td>SS38 □ O</td> <td>AS2301F-01-08SA</td> </tr> <tr> <td>Meter-in</td> <td>6φ</td> <td>SS36 □ I</td> <td>AS2311F-01-06SA</td> </tr> <tr> <td>8φ</td> <td>SS38 □ I</td> <td>AS2311F-01-08SA</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Port size</th> <th>Design</th> <th>Control</th> <th>Size [mm]</th> <th>Sub code</th> <th>SMC type</th> </tr> </thead> <tbody> <tr> <td rowspan="15">R1/4</td> <td rowspan="9">Elbow</td> <td rowspan="3">Meter-out</td> <td>6φ</td> <td>SS26 T □ O</td> <td>AS2201F-02-06SA</td> </tr> <tr> <td>8φ</td> <td>SS28 T □ O</td> <td>AS2201F-02-08SA</td> </tr> <tr> <td>10φ</td> <td>SS20 T □ O</td> <td>AS2201F-02-10SA</td> </tr> <tr> <td rowspan="3">Meter-in</td> <td>6φ</td> <td>SS26 T □ I</td> <td>AS2211F-02-06SA</td> </tr> <tr> <td>8φ</td> <td>SS28 T □ I</td> <td>AS2211F-02-08SA</td> </tr> <tr> <td>10φ</td> <td>SS20 T □ I</td> <td>AS2211F-02-10SA</td> </tr> <tr> <td rowspan="6">Universal</td> <td rowspan="3">Meter-out</td> <td>6φ</td> <td>SS36 T □ O</td> <td>AS2301F-02-06SA</td> </tr> <tr> <td>8φ</td> <td>SS38 T □ O</td> <td>AS2301F-02-08SA</td> </tr> <tr> <td>10φ</td> <td>SS30 T □ O</td> <td>AS2301F-02-10SA</td> </tr> <tr> <td rowspan="3">Meter-in</td> <td>6φ</td> <td>SS36 T □ I</td> <td>AS2311F-02-06SA</td> </tr> <tr> <td>8φ</td> <td>SS38 T □ I</td> <td>AS2311F-02-08SA</td> </tr> <tr> <td>10φ</td> <td>SS30 T □ I</td> <td>AS2311F-02-10SA</td> </tr> </tbody> </table>	Port size	Design	Control	Size [mm]	Sub code	SMC type	R1/8	Elbow	Meter-out	6φ	SS26 □ O	AS2201F-01-06SA	8φ	SS28 □ O	AS2201F-01-08SA	10φ	SS20 □ O	AS2201F-01-10SA	Meter-in	6φ	SS26 □ I	AS2211F-01-06SA	8φ	SS28 □ I	AS2211F-01-08SA	10φ	SS20 □ I	AS2211F-01-10SA	Universal	Meter-out	6φ	SS36 □ O	AS2301F-01-06SA	8φ	SS38 □ O	AS2301F-01-08SA	Meter-in	6φ	SS36 □ I	AS2311F-01-06SA	8φ	SS38 □ I	AS2311F-01-08SA	Port size	Design	Control	Size [mm]	Sub code	SMC type	R1/4	Elbow	Meter-out	6φ	SS26 T □ O	AS2201F-02-06SA	8φ	SS28 T □ O	AS2201F-02-08SA	10φ	SS20 T □ O	AS2201F-02-10SA	Meter-in	6φ	SS26 T □ I	AS2211F-02-06SA	8φ	SS28 T □ I	AS2211F-02-08SA	10φ	SS20 T □ I	AS2211F-02-10SA	Universal	Meter-out	6φ	SS36 T □ O	AS2301F-02-06SA	8φ	SS38 T □ O	AS2301F-02-08SA	10φ	SS30 T □ O	AS2301F-02-10SA	Meter-in	6φ	SS36 T □ I	AS2311F-02-06SA	8φ	SS38 T □ I	AS2311F-02-08SA	10φ	SS30 T □ I	AS2311F-02-10SA
Port size	Design	Control	Size [mm]	Sub code	SMC type																																																																																								
R1/8	Elbow	Meter-out	6φ	SS26 □ O	AS2201F-01-06SA																																																																																								
			8φ	SS28 □ O	AS2201F-01-08SA																																																																																								
			10φ	SS20 □ O	AS2201F-01-10SA																																																																																								
		Meter-in	6φ	SS26 □ I	AS2211F-01-06SA																																																																																								
			8φ	SS28 □ I	AS2211F-01-08SA																																																																																								
			10φ	SS20 □ I	AS2211F-01-10SA																																																																																								
	Universal	Meter-out	6φ	SS36 □ O	AS2301F-01-06SA																																																																																								
			8φ	SS38 □ O	AS2301F-01-08SA																																																																																								
		Meter-in	6φ	SS36 □ I	AS2311F-01-06SA																																																																																								
8φ	SS38 □ I	AS2311F-01-08SA																																																																																											
Port size	Design	Control	Size [mm]	Sub code	SMC type																																																																																								
R1/4	Elbow	Meter-out	6φ	SS26 T □ O	AS2201F-02-06SA																																																																																								
			8φ	SS28 T □ O	AS2201F-02-08SA																																																																																								
			10φ	SS20 T □ O	AS2201F-02-10SA																																																																																								
		Meter-in	6φ	SS26 T □ I	AS2211F-02-06SA																																																																																								
			8φ	SS28 T □ I	AS2211F-02-08SA																																																																																								
			10φ	SS20 T □ I	AS2211F-02-10SA																																																																																								
		Universal	Meter-out	6φ	SS36 T □ O	AS2301F-02-06SA																																																																																							
				8φ	SS38 T □ O	AS2301F-02-08SA																																																																																							
				10φ	SS30 T □ O	AS2301F-02-10SA																																																																																							
	Meter-in		6φ	SS36 T □ I	AS2311F-02-06SA																																																																																								
			8φ	SS38 T □ I	AS2311F-02-08SA																																																																																								
			10φ	SS30 T □ I	AS2311F-02-10SA																																																																																								

Product code

□□□ □□ 9 □ □ □□□ - □□□ - SS
 □ □ | | □ □ □ □ □
 ① ② ③ ④ ⑤ ⑥ ⑦

①Actuator ②Valve ③Sizing code ④Connection ⑤Materials ⑥Size [mm] ⑦Option