



MA-WTG-2TG0-350
MA-WTG-2TG0-400

Size [mm]	d	L	D	C	n-h	H2	Weight [kg]	Cv	Actuator	Reduction ratio
40	40	40	80	95	4-15	206	6.3	85	MAG-F07	24:1
50	50	40	90	105	4-15	211	6.4	145	MAG-F07	24:1
65	65	40	115	130	4-15	223	6.8	290	MAG-F07	24:1
80	80	50	126	145	4-19	255	7.8	450	MAG-F07	24:1
100	105	50	146	165	8-19	266	8.1	780	MAG-F07	24:1
125	130	50	181	200	8-19	283	8.8	1200	MAG-F07	24:1
150	154	50	211	230	8-19	298	11	1800	MAG-F07	24:1
200	204	50	257	280	8-23	321	12	3200	MAG-F07	24:1
250	253	50	322	345	12-23	343	15	5100	MAG-F07	24:1
300	300	55	367	390	12-23	369	19	7200	MAG-F07	24:1
350	340	70	410	435	12-25	398	27	8900	MAG-F07	24:1
400	387	70	470	495	16-25	422	31	11000	MAG-F07	24:1

No	DESCRIPTION	MATERIALS	REQ'D	REMARKS
8	Worm gear	FC250 (CASE)	1	(a)
7	Bracket	SUS304/SCS13A	1	
6	Joint	SUS304	1	
5	Joint	SUS304/SCS13A	1	
4	Gland Packing	GRAPHITE	1	
3	Stem	SUS420J2	1	
2	Disc	SUS420J2/J1	1	
1	Body	SCS13A	1	

NOTE
(a) Handle is removed and shipped.

MARK	DATE	BY	DATE	'21-07-13	SCALE	NON	DWG No.	WT-2TG0-G-MA5-EN
REVISIONS								
MV-2916								
APPR'D		H.F		TITLE		J5K Flanged-end(wafer type) WT type Butterfly Damper		
CHK'D		K.Y		MODEL		MA-WTG-2TG0		
DESIGN		S.O						
DRAWN								