

Product code	<input type="text"/>	SL	9	<input type="text"/>	5	U	U	F	-	<input type="text"/>	<input type="text"/>	-	<input type="text"/>	<input type="text"/>		
	<input type="text"/>	ST	9	<input type="text"/>	5	U	U	F	-	<input type="text"/>	<input type="text"/>	-	<input type="text"/>	<input type="text"/>	-	<input type="text"/>
	①	②	③	④	⑤	⑥	⑦	⑧		⑨	⑩		⑪			

Code configuration (The contents are described in the specifications.)

① Actuator model / ② Valve model / ③ Air code = 9 / ④ Sizing / ⑤ Connection
 ⑥ Body material / ⑦ Ball material / ⑧ Seat material / ⑨ Size / ⑩ Option / ⑪ Flow paths

Category		Type	① Actuator model		⑨ Size (A)	015	020		025	032	
					④ Sizing	0	0	2	0	0	2
Economy	Resin body	Double acting	PND	Port A pressure supply: Position1 Port B pressure supply: Position2		03D		04D			05D
		Air-less P1	PSO	Port pressure supply: Position2 Port exhaust: Position1 (Spring return)		04D			05D		05W
		Air-less P2	PSC	Port pressure supply: Position1 Port exhaust: Position2 (Spring return)		04D			05D		05W
Standard	Aluminum body	Double acting	TAD	Port A pressure supply: Position1 Port B pressure supply: Position2		040		050			063
		Air-less P1	TAO	Port pressure supply: Position2 Port exhaust: Position1 (Spring return)		040		050			063
		Air-less P2	TAC	Port pressure supply: Position1 Port exhaust: Position2 (Spring return)		040		050			063