

Product code **TV** **5** **T** **T** **P** - -

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩

Code configuration (The contents are described in the specifications.)
 ① Actuator model / ② Valve model / ③ Voltage / ④ Sizing / ⑤ Connection
 ⑥ Body material / ⑦ Ball material / ⑧ Seat material / ⑨ Size / ⑩ Option

Type	Category	① Actuator model		③ Voltage	⑨ Size(A)	015	020		025	032	040
					④ Sizing	0	1	0	0	0	0
ON-OFF	Mini	CM1	Transfer input	1	100/110V AC	030		070			
				2	200/220V AC						
		CM2	a-contact input	1	100/110V AC	030		070			
	2			200/220V AC							
	CD2	a-contact input	0	24V DC	030		070				
			4	12V DC							
	Compact	AM1	Transfer input	1	100/110V AC	030		070		180	
				2	200/220V AC						
		AM2	a-contact input	1	100/110V AC	030		070		180	
				2	200/220V AC						
		AH1	Transfer input	1	100/110V AC	030		070		180	
	2			200/220V AC							
	DM2	a-contact input	0	24V DC	030		070		180		
	DM0	Switching polarity	0	24V DC	030		070		180		
	Economy	AE1	Transfer input	1	100/110V AC	120		120			
2				200/220V AC							
AE2		a-contact input	1	100/110V AC	120		120				
			2	200/220V AC							
		0	24V DC	120		120					
Proportional control	Mini	CMX	4 to 20mA	1	100/110V AC	030		070			
				2	200/220V AC						
				0	24V DC						
	Compact	PAX	4 to 20mA 1 to 5V	1	100/110V AC	050		050		120	
				2	200/220V AC						
	Economy	AEX	4 to 20mA, 1 to 5V Resistance input, etc.	1	100/110V AC	120		120			
2				200/220V AC							
PEX		4~20mA · 1~5V	6	100 to 240V AC	120		120			300	
	0		24V DC								
Emergency	Compact	ACR	Power ON / OFF	2	100 to 220V AC	030					
	Economy	ECR	a-contact input Power ON / OFF	1	100/110V AC	120		120			
				2	200/220V AC						