

Product code □□□ **EG** □ □ **5** **U** **U** **P** - □□□□ - □□

①    ②    ③    ④    ⑤    ⑥    ⑦    ⑧    ⑨    ⑩

Code configuration (The contents are described in the specifications.)

①Actuator model / ②Valve model / ③Voltage / ④Sizing / ⑤Connection  
 ⑥Body material / ⑦Ball material / ⑧Seat material / ⑨Size / ⑩Option

Type	Category	①Actuator model		③Voltage		⑨Size(A)	015	020	025	032	040	050
						④Sizing	0	0	0	0	0	0
ON-OFF	Mini	<b>PM1</b>	a-contact input	1	100/110V AC	030						
				2	200/220V AC							
		<b>CM1</b>	Transfer input	1	100/110V AC	030		070				
				2	200/220V AC							
	<b>CM2</b>	a-contact input	1	100/110V AC	030		070					
			2	200/220V AC								
	<b>CD2</b>	a-contact input	0	24V DC	030		070					
			4	12V DC	030							
	Compact	<b>AM1</b>	Transfer input	1	100/110V AC	030		070		180		
				2	200/220V AC							
<b>AM2</b>		a-contact input	1	100/110V AC	030		070		180			
			2	200/220V AC								
<b>AH1</b>		Transfer input	1	100/110V AC	030		070		180			
	2		200/220V AC									
<b>DM2</b>	a-contact input	0	24V DC	030		070		180				
<b>DM0</b>	Switching polarity	0	24V DC	030		070		180				
Proportional control	Mini	<b>CMX</b>	4 to 20mA	1	100/110V AC	030		070				
				2	200/220V AC							
				0	24V DC							
	Compact	<b>PAX</b>	4 to 20mA 1 to 5V	1	100/110V AC	050		120				
				2	200/220V AC							
Emergency	Compact	<b>ACR</b>	Power ON / OFF	2	100 to 220V AC	030						