

Product code    **E-**   **5** **Y** **Y** **F** -    -

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩

Code configuration (The contents are described in the specifications.)  
 ① Actuator model / ② Valve model / ③ Voltage / ④ Sizing / ⑤ Connection  
 ⑥ Body material / ⑦ Ball material / ⑧ Seat material / ⑨ Size / ⑩ Option

Type	Category	① Actuator model		③ Voltage	⑨ Size(A)	015	020	025		032	040		050
					④ Sizing	0	0	0	2	0	0	2	0
ON-OFF	Mini	<b>CA1</b>	Transfer input	1	100V AC	015							
				2	200V AC								
		<b>PM1</b>	a-contact input	1	100/110V AC	030							
				2	200/220V AC								
		<b>CM1</b>	Transfer input	1	100/110V AC	030		070					
				2	200/220V AC								
	<b>CM2</b>	a-contact input	1	100/110V AC	030		070						
			2	200/220V AC									
	<b>CD2</b>	a-contact input	0	24V DC	030		070						
			4	12V DC	030								
	Compact	<b>AM1</b>	Transfer input	1	100/110V AC	030			070		180		
				2	200/220V AC								
		<b>AM2</b>	a-contact input	1	100/110V AC	030			070		180		
				2	200/220V AC								
		<b>AH1</b>	Transfer input	1	100/110V AC	030			070		180		
2	200/220V AC												
<b>DM2</b>	a-contact input	0	24V DC	030			070		180				
<b>DM0</b>	Switching polarity	0	24V DC	030			070		180				
Proportional control	Mini	<b>CMX</b>	4 to 20mA	1	100/110V AC	030		070					
				2	200/220V AC								
				0	24V DC								
Compact	<b>PAX</b>	4 to 20mA 1 to 5V	1	100/110V AC	050			120			120		
			2	200/220V AC									
Emergency	Compact	<b>ACR</b>	Power ON / OFF	2	AC100 to 220V AC	030							